

MESSRS:
TEXMODA TESSUTI Srl
Via dei Pioppi, 18/22
59100 PRATO (PO)

REPORT NR. 2003528-003
REPORT DATE 20/10/2020
ACCEPTANCE DATE 06/10/2020
START TEST DATE 06/10/2020
END TEST DATE 20/10/2020
SAMPLING BY CUSTOMER

TEST REPORT

SAMPLE DESCRIPTION FABRIC ART. CESOIA COL. 6691

THE REPORT IS MADE BY THE FOLLOWING TESTS:

TEST	METHOD	ACCREDIA
4020001 Determination of phthalate content	UNI EN ISO 14389:2014	
4019051 Presence of total heavy metals	EN 1122:2001	*
4019021 Research and dosing of Hexavalent Chromium (CrVI)	BS 6810-1:1987 sez. 4 e 8.5	
4016001 Detection of aromatic amines derived from azo colorants accessible with and without extracting the fibers	UNI EN ISO 14362-1:2017	
4051001 Polifluorinated compounds (PFC's)	UNI CEN/TS 15968:2010	
4033002 Research and dosing of Alkylphenol-ethoxylated (APEO's)	ISO 18254-1:2016	
4033001 Research and dosing of Alkylphenols (AP's)	UNI EN ISO 18218-2:2019	

Technical Manager

Dott.ssa Valentina Guidotti



Managing Director

Patrizia Rosati



(*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it can't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

LANARTEX srl ; Via I Maggio,27 – 59013 Oste - Montemurlo (PO)
Tel +39 0574 071701 Fax +39 0574 899903 e mail : labo@lanartex.it - web : www.lanartex.it

TEST REPORT

MESSRS:
TEXMODA TESSUTI Srl
Via dei Pioppi, 18/22
59100 PRATO (PO)

REPORT NR.	2003528-003
REPORT DATE	20/10/2020
ACCEPTANCE DATE	06/10/2020
START TEST DATE	06/10/2020
END TEST DATE	20/10/2020
SAMPLING BY CUSTOMER	

NOTES ANALYTICAL TESTS

- **4020001 Determination of phthalate content** **UNI EN ISO 14389:2014**
Limit of Quantification (LOQ) DBP, DEHP, DIBP, DPP, DNHP, DCHP, BBP: 10,0 mg/kg.
Limit of Quantification (LOQ) DNOP: 15,0 mg/kg
Limit of Quantification (LOQ) DINP, DIDP, DIHO, DMEP: 50,0 mg/kg
Instrument: GC-MS
- **4019051 Presence of total heavy metals** **EN 1122:2001**
Detection method: atomic emission spectroscopy (ICP-OES); N.D.: Not detectable; Limit of detection: 1,0 mg/kg.
- **4019021 Research and dosing of Hexavalent Chromium (CrVI)** **BS 6810-1:1987 sez. 4 e 8.5**
Limit of Detection (LOD): 1,0 mg/kg.
- **4016001 Detection of aromatic amines derived from azo colorants accessible with and without extracting the fibers** **UNI EN ISO 14362-1:2017**
N.d. - Not detectable; Instrument: LC-MS; Limit of Detection (LOD): 1 mg/kg each.
Qualitative composition declared by the customer: natural and synthetic blend.
According to the declared composition it has been performed an extraction by Xylene on synthetic fibers, instead this extraction has not been performed on natural fibers.
- **4051001 Polifluorinated compounds (PFC's)** **UNI CEN/TS 15968:2010**
Detection limit (LOD): 0,025 µg/m²; Limit of Quantification (LOQ): 0,125 µg/m².
- **4033002 Research and dosing of Alkylphenol-ethoxylated (APEO's)** **ISO 18254-1:2016**
Limit of Detection (LOD): 1,0 mg/kg; Analytical instrument: LC-MSMS.
- **4033001 Research and dosing of Alkylphenols (AP's)** **UNI EN ISO 18218-2:2019**
Limit of Detection (LOD): 1,0 mg/kg; Analytical instrument: GC-MS.
Test was performed with just the AP's detection, as per request of the customer.
The test was performed in derogation from the standard on a textile matrix at the request of the customer.

GENERAL NOTES

Quanto dichiarato in descrizione del campione è sotto la piena responsabilità del committente e non del laboratorio/The sample description content is under the full responsibility of the customer and not of the laboratory.

(*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it can't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

LANARTEX srl ; Via I Maggio,27 – 59013 Oste - Montemurlo (PO)
Tel +39 0574 071701 Fax +39 0574 899903 e mail : labo@lanartex.it - web : www.lanartex.it

TEST REPORT

MESSRS:
TEXMODA TESSUTI Srl
Via dei Pioppi, 18/22
59100 PRATO (PO)

REPORT NR. 2003528-003
REPORT DATE 20/10/2020
ACCEPTANCE DATE 06/10/2020
START TEST DATE 06/10/2020
END TEST DATE 20/10/2020
SAMPLING BY CUSTOMER

Tests	M.U.	Results	Method
4020001 Determination of phthalate content			UNI EN ISO 14389:2014
Kind of specimen		Prodotto tessile trattato totalmente	
Samples preparation		Secondo indicazioni riportate in appendice A della normativa	
Total mass	g	0,323	
Di-n-butylphthalate (DBP) [84-74-2]	µg/g	N.D.	
Butylbenzylphthalate (BBP) [85-68-7]	µg/g	N.D.	
Bis(2-ethylhexyl)phthalate (DEHP) [117-81-7]	µg/g	N.D.	
Di-n-octylphthalate (DNOP) [117-84-0]	µg/g	N.D.	
Diisononylphthalate (DINP) [28553-12-0]	µg/g	N.D.	
Diisodecylphthalate (DIDP) [26761-40-0]	µg/g	N.D.	
Diisobutylphthalate (DIBP) [84-69-5]	mg/kg	N.D.	
Diisoheptylphthalate (DIHP) [71888-89-6]	mg/kg	N.D.	
Diamylphthalate (DPP) [131-18-0]	mg/kg	N.D.	
Bis(2-methoxyethyl)phthalate (DMEP) [117-82-8]	mg/kg	N.D.	
Dihexylphthalate [84-75-3]	mg/kg	N.D.	
Dicyclohexylphthalate [84-61-7]	mg/kg	N.D.	
4019051 Presence of total heavy metals			EN 1122:2001
Cadmium (Cd)	mg/kg	N.D.	
Lead (Pb)	mg/kg	N.D.	
Mercury (Hg)	mg/kg	N.D.	
4019021 Research and dosing of Hexavalent Chromium (CrVI)			BS 6810-1:1987 sez. 4 e 8.5
Chrome (VI)	mg/kg	N.D.	
4016001 Detection of aromatic amines derived from azo colorants accessible with and without extracting the fibers			UNI EN ISO 14362-1:2017
4-Aminodiphenyl [92-67-1]	mg/kg	N.D.	
Benzidine [92-87-5]	mg/kg	N.D.	
4-Chloro-o-toluidine [95-69-2]	mg/kg	N.D.	
2-Naphthylamine [91-59-8]	mg/kg	N.D.	
o-Aminoazotoluene [97-56-3]	mg/kg	N.D.	
2-Amino-4-Nitrotoluene [99-55-8]	mg/kg	N.D.	
p-Chloroaniline [106-47-8]	mg/kg	N.D.	
2,4-Diaminoaniline [615-05-4]	mg/kg	N.D.	
4,4'-Diaminodiphenylmethane [101-77-9]	mg/kg	N.D.	
3,3'-Dichlorobenzidine [91-94-1]	mg/kg	N.D.	

(*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it can't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

LANARTEX srl ; Via I Maggio,27 – 59013 Oste - Montemurlo (PO)
Tel +39 0574 071701 Fax +39 0574 899903 e mail : labo@lanartex.it - web : www.lanartex.it

TEST REPORT

MESSRS:
TEXMODA TESSUTI Srl
Via dei Pioppi, 18/22
59100 PRATO (PO)

REPORT NR. 2003528-003
REPORT DATE 20/10/2020
ACCEPTANCE DATE 06/10/2020
START TEST DATE 06/10/2020
END TEST DATE 20/10/2020
SAMPLING BY CUSTOMER

Tests	M.U.	Results	Method
3,3'-Dimethoxybenzidine [119-90-4]	mg/kg	N.D.	
3,3'-Dimethylbenzidine [119-93-7]	mg/kg	N.D.	
3,3'-Dimethyl-4,4'-Diammindifenilmetane [838-88-0]	mg/kg	N.D.	
p-Cresidine [120-71-8]	mg/kg	N.D.	
4,4'-Methylene-bis-(2-Chloroaniline) [101-14-4]	mg/kg	N.D.	
4,4'-Oxydianiline [101-80-4]	mg/kg	N.D.	
4,4'-Thiodianiline [139-65-1]	mg/kg	N.D.	
o-Toluidine [95-53-4]	mg/kg	N.D.	
2,4-Toluylenediamine [95-80-7]	mg/kg	N.D.	
2,4,5-Trimethylaniline [137-17-7]	mg/kg	N.D.	
2,4-Xylidine [95-68-1]	mg/kg	N.D.	
2,6-Xylidine [87-62-7]	mg/kg	N.D.	
o-Anisidine [90-04-0]	mg/kg	N.D.	
4-Aminoazobenzene [60-09-3]	mg/kg	N.D.	
4051001 Polifluorinated compounds (PFC's)			UNI CEN/TS 15968:2010
Heptafluorobutyric acid (PFBA) [375-22-4]	µg/m ²	N.D.	
Perfluoropentanoic acid (PFPeA) [2706-90-3]	µg/m ²	N.D.	
Undecafluorohexanoic acid (PFHxA) [307-24-4]	µg/m ²	N.D.	
Perfluoroheptanoic acid (PFHpA) [375-85-9]	µg/m ²	N.D.	
Nonafluorobutane-1-sulfonic acid (PFBS) [375-73-5]	µg/m ²	N.D.	
Tridecafluorohexane-1-sulfonic acid (PFHxS) [3871-99-6]	µg/m ²	N.D.	
Tricosafuorododecanoic acid (PFDoA) [307-55-1]	µg/m ²	N.D.	
Perfluorodecanoic acid (PFDA) [335-76-2]	µg/m ²	N.D.	
Perfluorononanoic acid (PFNA) [375-95-1]	µg/m ²	N.D.	
Perfluorotetradecanoic acid (PFTeA) [376-06-7]	µg/m ²	N.D.	
Sulfuramid (N-Et-FOSA) [4151-50-2]	µg/m ²	N.D.	
Perfluorotridecanoic acid (PFTra) [72629-94-8]	µg/m ²	N.D.	
Perfluorooctanesulphonamide (PFOSA) [754-91-6]	µg/m ²	N.D.	
Perfluorooctane sulfonic acid (PFOS) [1763-23-1]	µg/m ²	N.D.	
Perfluoro (3,7-dimethyloctanoic acid) (PF-3,7-DMOA) [172155-07-6]	µg/m ²	N.D.	
Perfluoroundecanoic acid (PFUnA) [2058-94-8]	µg/m ²	N.D.	
N-MeFOSA - N-Methylperfluoro-1-octanesulfonamide [31506-32-8]	µg/m ²	N.D.	
Pentadecafluorooctanoic acid (PFOA) [335-67-1]	µg/m ²	N.D.	

(*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it can't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

LANARTEX srl ; Via I Maggio,27 – 59013 Oste - Montemurlo (PO)
 Tel +39 0574 071701 Fax +39 0574 899903 e mail : labo@lanartex.it - web : www.lanartex.it

TEST REPORT

MESSRS:
TEXMODA TESSUTI Srl
Via dei Pioppi, 18/22
59100 PRATO (PO)

REPORT NR. 2003528-003
REPORT DATE 20/10/2020
ACCEPTANCE DATE 06/10/2020
START TEST DATE 06/10/2020
END TEST DATE 20/10/2020
SAMPLING BY CUSTOMER

Tests	M.U.	Results	Method
4033002 Research and dosing of Alkylphenol-ethoxylated (APEO's)			ISO 18254-1:2016
Kind of item		FABRIC	
Nonylphenols-ethoxylated (NPEO) [37205-87-1, 20427-84-3, 68412-54-4]	mg/kg	N.D.	
Octylphenols-ethoxylated (OPEO) [9036-19-5, 9002-93-1, 2315-61-9, 2315-67-5]	mg/kg	N.D.	
Total content of Alkylphenols-ethoxylated (APEO's)	mg/kg	N.D.	
4033001 Research and dosing of Alkylphenols (AP's)			UNI EN ISO 18218-2:2019
Kind of item		FABRIC	
Nonylphenols (NP) [104-40-5, 84852-15-3]	mg/kg	N.D.	
Octylphenol (OP) [1806-26-4, 140-66-9]	mg/kg	N.D.	
Total content of Alkylphenols (AP's)	mg/kg	N.D.	

----- **END OF REPORT** -----

(*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it can't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

LANARTEX srl ; Via I Maggio,27 – 59013 Oste - Montemurlo (PO)
 Tel +39 0574 071701 Fax +39 0574 899903 e mail : labo@lanartex.it - web : www.lanartex.it